

T6N

R3E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

Township N. 6 North, Range N. 3 East 2nd Mer.

Range Line - Var. 6th East

North	Between Ranges 3 & 4 Township 6 North	North	On the East Side of Sec. 12
	On the East Side of Sec. 36	23.00	A. Brook 30 lbs East
7.00	N. N. Oak 30 in. diam.	35.00	Same Brook S. 1/2
40.00	gr. Sec. corner N. Oak 12 S 30 E 22	40.00	gr. Sec. corner Beech 20 S 40 W 21
	B. Oak 10 S 30 E 21		Elm 20 S 55 E 26
50.00	Set post corner of Sec. 23 & 24	43.00	A. Brook 30 S. E
	N. Oak 20 S 48 E 19	47.00	Same Brook S. W
	do 20 S 44 W 30	50.00	Set post corner to Sec. 1 & 12
	Rolling land, Oak & Hickory		Birch 20 S 58 W 18
North	On the East Side of Sec. 25		Ironwood 6 S 60 W 11
40.00	gr. Sec. corner Spruce 6 S 80 E 10		Same the same
	B. Oak 6 S 80 E 15	North	On the East Side of Sec. 1 Var. 6 th East
40.00	A. Brook 12 lbs East	10.50	A. Brook 30 lbs S. E
50.00	Set post corner of Sec. 24 & 25	27.50	Same 3 lbs West
	Elm 10 S 58 W 4	40.00	gr. Sec. corner Beech 12 corner tree
	B. Oak 9 S 14 W 3	65.00	A. Brook 3 lbs West
	This post on the Bank of Brook 10 lbs East	65.00	Same 3 lbs West
	Same the same	80.00	Set post corner to Sec. 1 & 2 of Ranges
North	On the East Side of Sec. 24		3 & 4 East Hickory 16 S 4 W 19
40.00	gr. Sec. corner N. Oak 10 S 50 W 24		do 16 S 16 W 22
	do 12 S 58 W 26		Township Lines
68.50	A. Brook 12 lbs N. E	West	Between Townships 5 & 6 Range 3 East
80.00	Set post corner of Sec. 13 & 24		On Dundas
	B. Oak 8 S 38 E 20	33.00	A. Brook 10 lbs South
	N. Oak 15 S 67 W 41	40.00	Temporary gr. Sec. post
	Very thin Wildy land	80.00	Temporary mile post. Same level
North	On the East Side of Sec. 13	West	Random line continued
10.30	A. N. Oak 20 in. diam.	7.60	A. Brook 8 lbs South
24.50	A. Brook 15 lbs West	40.00	Temporary gr. Sec. post
29.00	A. Brook 25 lbs West	50.00	Temporary mile post
40.00	gr. Sec. corner Beech 30 S 35 W 31		Since very little this soil. Oak & Hickory
	Hickory 24 S 35 E 29	West	Random line continued
50.00	Set post corner to Sec. 12 & 13 N. Oak 8 S 30 W 8	40.00	Temporary gr. Sec. post
	Same S 159 E 10	74.60	A. Brook 12 lbs South
	Same level. Beech, Oak & Hickory	80.00	Temporary mile post
			Good farming land Beech & Sugar

West	Random line continued	80.00	Set post corner of Sec. 34 & 35
40.00	Temporary gr. Sec. post		Beech 10 S 36 E 2
50.00	Temporary mile post		do 6 S 59 W 11
	Good farming land, Beech & Sugar	East	On the South Side of Sec. 35
West	Random line continued	40.00	gr. Sec. corner B. Oak 18 S 67 E 10
34.00	A. Brook 20 lbs South		do 18 S 45 E 15
40.00	Temporary gr. Sec. post	80.00	Set post corner of Sec. 35 & 36
50.28	A. Brook 10 lbs South		B. Oak 10 S 61 E 12
50.00	Set Temporary Sec. post. Same the same		do 8 S 4 E 5
West	Random line continued	East	On the South Side of Sec. 36
40.00	Temporary gr. Sec. corner	40.00	gr. Sec. corner N. Oak 20 S 73 E 36
72.00	Intersected N & S line 78 lbs top of Sec. corner		Beech 18 S 83 W 10
	Same the same	80.00	Down corner
East	Between Towns 5 & 6 Range 3 Var. 6 th East		Surveyed by Arthur Henner D. L.
	On true line		Subdivisions of Township 6 Range 3 East
	On the South Side of Sec. 31	North	Between Sec. 35 & 36
32.00	gr. Sec. corner N. Oak 24 S 61 E 4	40.00	gr. Sec. corner Poplar 18 S 6 E 12
	Beech 10 S 45 W 11		B. Oak 15 S 25 W 17
72.00	Set post corner of Sec. 31 & 32	80.00	Set post corner to Sec. 25, 26, 35, 36
	Beech 24 S 84 E 10		B. Oak 10 S 5 E 5
	do 10 S 76 W 18		do 8 S 78 W 4
East	On the South Side of Sec. 32		over very high hills this soil. Oak, Hickory &
40.00	gr. Sec. corner 20 corner tree	East	Between Sec. 25 & 36 On Random
80.00	Set post corner of Sec. 32 & 33	40.00	Temporary gr. Sec. post
	Beech 10 S 57 W 12	80.00	Intersected N & S line 28 lbs South of corner
	Poplar 12 S 13 E 19		Same the same as above
East	On the South Side of Sec. 33	West	Corrected
40.00	gr. Sec. corner Hickory 8 S 42 W 10	40.00	gr. Sec. corner N. Oak 12 S 50 E 8
	Beech 8 S 71 E 26		N. Oak 6 S 57 W 13
80.00	Set post corner of Sec. 33 & 34	80.00	Section corner
	N. Oak 18 S 70 E 6	North	Between Sec. 25 & 26
	Sugar 18 S 60 E 38	40.00	gr. Sec. corner N. Oak 20 S 28 W 27
East	On the South Side of Sec. 34		B. Oak 10 S 7 W 25
40.00	gr. Sec. corner Beech 8 S 18 W 25		
	Dogwood 8 S 86 W 20		

80.00	Set post corner of Secs 23, 24, 25, 26 B. Oak 15 N 53 E 54 B 18 N 58 W 71 very high hills, very brushy, Sassafras, Oak, Hickory &c.	East	Between Secs 12 & 13 On Random
		4.00	A. Brook 10 lks South
		40.00	Temporary gr. Sec. post
		45.00	A. Brook 12 lks South
East	Between Secs 24 & 25 On Random	80.25	Intersected N & S line 100 lks S. of corner Land level, Beech, Poplar, Oak, Hickory &c.
40.00	Temporary gr. Sec. post	West	Corrected
80.20	Intersected N & S line 104 lks South of corner Land the same as above	40.12 1/2	gr. Sec. corner Beech 12 N 28 W 20 Beech 12 N 28 W 20 Sugar 18 N 65 E 24
West	Corrected	80.25	Section corner
40.10	gr. Sec. corner B. Oak 10 N 18 E 16 do 8 S 49 W 10	North	Between Secs 11 & 12
80.20	Section corner	40.00	gr. Sec. corner Sugar 10 S 69 W 4 Poplar 10 S 80 E 25
North	Between Secs 23 & 24	50.00	A. Brook 10 lks S. E
40.00	gr. Sec. corner B. Oak 10 S 62 W 15 do 10 N 50 W 24	80.00	Set post corner of Secs 1, 2, 11, 12 Beech 10 S 84 W 24 do 12 S 88 E 17
80.00	Set post corner of Secs 13, 14, 23, 24 W. Oak 13 E 24 B. Oak 8 N 62 W 10		Land rolling, Beech, Poplar, Oak, Hickory &c.
	Land the same	East	Between Secs 1 & 12 On Random
East	Between Secs 13 & 24 On Random	2.00	A. Brook 10 lks South
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
80.40	Intersected N & S line 110 lks South of corner Land the same	80.60	Intersected N & S line 112 lks S. of corner Land the same as above
West	Corrected	West	Corrected
40.20	gr. Sec. corner B. Oak 12 N 72 W 43 W. Oak 12 N 3 W 24	40.30	gr. Sec. corner Beech 20 N 15 E 23 do 20 S 25 W 25
80.40	Section corner	80.60	Section corner
North	Between Secs 13 & 14	North	Between Secs 1 & 2
1.50	A. W. Oak 20 in. diam?	4.00	A. Brook 6 lks S. E
38.00	A. Brook 25 lks N. W	12.50	A. W. Oak 12 in. diam?
40.00	gr. Sec. corner Elm 10 N 38 E 9 do 10 N 18 W 12	40.00	gr. Sec. corner Beech 12 S 79 E 37 Sugar 20 S 62 E 35
46.15	A. Beech 20 in. diam?	44.00	A. Brook 12 lks S. E
80.00	Set post corner of Secs 11, 12, 13, 14 W. Oak 3 S 72 E 4 Beech 10 S 72 W 12 Land level, Beech, Poplar, Oak, Hickory &c.		

83.31	Set post on the N. Boundary 183 lks N. of corner Maple 10 S 27 E 27 B. Oak 10 S 86 W 12 Land rolling, Beech, Poplar, Oak, Hickory &c. March 15, 1874	East	Between Secs 14 & 23 On Random
		40.00	Temporary gr. Sec. post
		80.00	Intersected N & S line 12 lks South of corner Land rolling, Beech, Oak & Hickory
North	Between Secs 34 & 35	West	Corrected
40.00	gr. Sec. corner Beech 10 S 7 W 58 do 12 N 73 W 10	40.00	gr. Sec. corner B. Oak 15 S 31 E 8 do 18 N 4 E 15
80.00	Set post corner of Secs 26, 27, 34, 35 W. Oak 12 S 60 E 7 Poplar 20 S 18 W 13 Land level, Beech, Ash, Oak & Hickory	80.00	Section corner
East	Between Secs 26 & 35 On Random	North	Between Secs 22 & 23
40.00	Temporary gr. Sec. post	40.00	gr. Sec. corner B. Oak 20 N 54 W 6 Sugar 12 S 10 E 31
80.35	Intersected N & S line 110 lks North of corner Land very hilly thin soil, Timber Oak	55.00	A. Brook 12 lks N. W
West	Corrected	69.75	A. Poplar 18 in. diam?
40.7 1/2	gr. Sec. corner W. Oak 8 S 42 E 30 do 10 S 88 E 42	80.00	Set post corner of Secs 14, 15, 22, 23 W. Oak 20 S 45 W 20 Sugar 12 N 87 W 23 Land & timber same
80.35	Section corner	North	Between Secs 14 & 15
North	Between Secs 26 & 27	40.00	gr. Sec. corner Beech 12 N 53 W 22 do 12 S 63 E 33
40.00	gr. Sec. corner Beech 20 N 4 E 40 Hickory 12 N 44 E 10	60.00	A. Brook 30 lks N. W
80.00	Set post corner of Secs 22, 23, 26, 27 Poplar 12 North 10 B. Oak 10 S 40 W 50	80.00	Set post corner of Secs 10, 11, 14, 15 Beech 8 N 4 W 24 Sugar 10 S 12 E 18 Very high hills, thin soil, Oak, Hickory &c.
	Land the same	East	Between Secs 11 & 14 On Random
East	Between Secs 23 & 26 On Random	40.00	Temporary gr. Sec. post
13.00	A. Brook 10 lks North	46.00	A. Brook 10 lks South
40.00	Temporary gr. Sec. post	72.00	A. Brook 10 lks South
80.00	Intersected N & S line 10 lks N. of corner Land the same	79.90	Intersected N & S line 12 lks North of corner Land the same
West	Corrected	West	Corrected
40.00	gr. Sec. corner W. Oak 18 S 54 E 3 do 10 S 42 W 26	39.95	gr. Sec. corner Beech 20 N 74 E 10 do 18 S 3 W 77
80.00	Section corner	79.90	Section corner

North Between Secs 10 & 11
 40.00 gr. Sec. corner Michery 8 ft 69 W 5
 Dogwood 4 ft 55 E 5
 80.00 Set post corner of Secs 2, 3, 10, 11
 B. Oak 12 ft 4 W 7
 Michery 8 ft 32 W 39
 very high hills thin soil Oak & Michery
 East Between Secs 2 & 11 On Brandon
 40.00 Temporary gr. Sec. post
 69.50 H. Brook 20 lbs S. E
 74.00 Same S. E
 79.85 Intersected N & S line 12 lbs North of corner
 Sand very sticky thin soil
 West corrected
 39.92 gr. Sec. corner B. Oak 12 ft 4 W 8
 Dogwood 6 ft 70 E 11
 79.85 Section corner
 North Between Secs 2 & 3
 1.00 H. Brook 5 lbs S. E West
 40.00 gr. Sec. corner Gum 12 ft 49 W 11
 B. Oak 12 ft 56 E 50
 83.50 Set post on North boundary 10 lbs ~~West~~ of corner
 B. Oak 15 ft 32 E 7
 Dogwood 6 ft 72 E 8
 Sand the same
 North Between Secs 33 & 34
 18.75 H. Brook 10 in. diam.
 40.00 gr. Sec. post Beech 11 ft 5 W 4
 do 8 ft 52 W 16
 67.00 H. Brook 10 lbs West
 80.00 Set post corner of Secs 27, 28, 33, 34
 Beech 10 ft 53 E 35
 do 10 ft 37 W 24
 Sand level, Beech, Oak & Poplar

East Between Secs 27 & 34 On Brandon
 40.00 Temporary gr. Sec. post
 79.50 Intersected N & S line at Sec. corner
 Sand level, Beech, Oak & Poplar
 West corrected
 39.90 gr. Sec. corner B. Oak 12 ft 56 W 30
 do 4 ft 11 E 3
 79.80 Section corner
 North Between Secs 27 & 28
 17.60 H. Michery 10 in. diam.
 40.00 gr. Sec. corner W. Oak 18 ft 30 E 28
 B. Oak 8 ft 67 W 15
 80.00 Set post corner of Secs 21, 22, 27, 28
 B. Oak 10 ft 10 W 18
 do 8 ft 10 W 10
 very high hills thin soil, Oak & Michery
 East Between Secs 22 & 27 On Brandon
 17.00 H. Brook 12 lbs North
 40.00 Temporary gr. Sec. post
 80.00 Intersected North & S line 12 lbs S of corner
 Sand the same as above
 West Between Secs 22 & 27 corrected
 40.00 gr. Sec. corner Beech 10 ft 51 E 30
 Gum 12 ft 45 E 28
 80.00 Section corner
 North Between Secs 21 & 22
 17.50 H. Brook 10 lbs S. E
 40.00 gr. Sec. corner Michery 8 ft 20 E 17
 B. Oak 8 ft 50 E 3
 51.00 H. Brook 10 lbs S. E
 80.00 Set post corner to Secs 15, 16, 21, 22
 Beech 12 ft 10 W 14
 do 18 ft 66 W 14
 Sand rolling, Beech, Oak, Poplar & c.

East Between Secs 15 & 22 On Brandon
 27.50 H. Brook 15 lbs North
 40.00 Temporary gr. Sec. post
 49.00 H. Brook 10 lbs North
 80.20 Intersected N & S line 18 lbs S. of corner
 Sand rolling, Beech, Oak, Poplar & c.
 West corrected
 40.10 gr. Sec. post Beech 12 ft 41 W 12
 B. Oak 8 ft 65 E 22
 80.20 Section corner
 North Between Secs 15 & 16
 19.75 H. Gum 18 in. diam.
 40.00 gr. Sec. corner Beech 12 ft 25 W 24
 do 15 ft 25 E 8
 40.00 H. Brook 10 lbs West
 53.50 H. Brook 50 lbs S. W
 80.00 Set post corner to Secs 9, 10, 15, 16
 W. Oak 12 ft 10 E 15
 do 15 ft 56 W 8
 Sand the same as above
 East Between Secs 10 & 15 On Brandon
 22.00 H. Brook 10 lbs North
 40.00 Temporary gr. Sec. post
 79.80 Intersected N & S line 30 lbs S. of corner
 Sand very sticky, thin soil
 West corrected
 39.90 gr. Sec. corner W. Oak 20 ft 4 W 4
 No other tree
 79.80 Section corner
 North Between Secs 9 & 10
 40.00 gr. Sec. corner Beech 6 ft 5 W 12
 W. Oak 12 ft 72 W 29
 47.00 H. Brook 10 lbs West
 77.50 H. W. Oak 10 in. diam.
 79.00 Section corner
 79.00 H. Brook 10 lbs S. W
 80.00 Set post corner of Secs 3, 4, 9, 10
 Sugar 10 ft 65 E 11
 do 10 ft 6 W 18
 Sand very sticky, thin soil
 East Between Secs 3 & 10 On Brandon
 3.00 H. Brook 10 lbs S. W
 40.00 Temporary gr. Sec. post
 79.88 Intersected N & S line 12 lbs North of corner
 Sand & timber as above
 West corrected
 39.94 gr. Sec. corner B. Oak 10 ft 68 E 7
 do 18 ft 58 E 7
 79.88 Section corner
 North Between Secs 3 & 4
 40.00 gr. Sec. corner W. Oak 18 ft 4 E 30
 B. Oak 12 ft 52 E 20
 82.80 To Sec. corner on the North boundary
 Sand very sticky thin soil, Oak & Michery & c.
 North Between Secs 32 & 33
 39.00 H. Brook 10 lbs S. W
 40.00 gr. Sec. corner Beech 12 ft 8 E 35
 No more trees noted
 80.00 Set post corner of Secs 28, 29, 32, 33
 Sugar 10 ft 35 E 6
 Beech 8 ft 48 W 10
 Sand, No so sticky, Beech, Poplar, Oak & c.
 East Between Secs 28 & 33 On Brandon
 40.00 Temporary gr. Sec. post
 80.00 Intersected N & S line 12 lbs South of corner
 Sand the same as above
 West corrected
 40.00 gr. Sec. corner Poplar 10 ft 56 W 31
 Beech 10 ft 14 W 11
 80.00 Section corner

North Between Sec^s 28 & 29
 40.00 gr. Sec. corner Dogwood 4 ft 25 E5
 Sugar 10 ft 70 E2
 49.75 A. Brook 10 lbs N.E.
 50.00 Set post corner of Sec^s 20, 21, 28, 29
 Logwood 6 ft 11 N 8
 B. Oak 20 ft 11 N 9
 Land the same
 East Between Sec^s 21 & 28 On Prandone
 40.00 Temporary gr. Sec. post
 52.00 A. Brook 10 lbs North
 69.50 A. Brook 10 lbs North
 80.00 Intersected N.E. line, 18 lbs South of corner
 Land the same
 West Corrected
 40.00 gr. Sec. corner B. Oak 7 ft 52 E19
 do 6 ft 75 E7
 80.00 Section corner
 North Between Sec^s 20 & 21
 34.00 A. Brook 10 lbs N.E.
 40.00 gr. Sec. corner B. Oak 8 ft 50 E4
 Logwood 4 ft 42 N 10
 80.00 Set post corner of Sec^s 16, 17, 20, 21
 B. Oak 6 ft 36 E7
 do 12 ft 53 E10
 Very high hills, thin soil, Oak & Hickory
 East Between Sec^s 16 & 21 On Prandone
 40.00 Temporary gr. Sec. post
 41.00 A. Brook 10 lbs N.E.
 79.98 Intersected N.E. line, 18 lbs South of corner
 Land as above
 West Corrected
 39.99 gr. Sec. corner B. Oak 10 ft 52 N7
 Hickory 10 ft 52 E15
 79.98 Section corner

North Between Sec^s 16 & 17
 40.00 gr. Sec. corner Sugar 10 ft 58 N4
 do 10 ft 25 N11
 50.00 Set post corner of Sec^s 8, 9, 16, 17
 Beech 10 ft 80 E9
 do 20 ft 49 N36
 Very high hills, thin soil, Oak & Hickory
 East Between Sec^s 9 & 16 On Prandone
 30.00 A. Brook 100 lbs N.W.
 40.00 Temporary gr. Sec. post
 50.00 Intersected N.E. line, 10 lbs S. of corner
 Land the same
 West Corrected
 40.00 gr. Sec. corner Beech 12 ft 5 E20
 do 10 ft 57 N31
 80.00 Section corner
 North Between Sec^s 8 & 9
 11.00 A. Brook 100 lbs West
 40.00 gr. Sec. corner Beech 10 ft 4 E15
 do 10 ft 55 N15
 28.00 A. Brook 10 lbs S.W.
 59.00 A. Brook 10 lbs S.W.
 80.00 Set post corner of Sec^s 4, 5, 8, 9
 Beech 10 ft North 18
 do 12 ft 39 N20
 Land the same
 East Between Sec^s 4 & 9 On Prandone
 40.00 Temporary gr. Sec. post
 80.00 Intersected N.E. line, 12 lbs North of corner
 Land very hilly, thin soil
 West Corrected
 40.00 gr. Sec. corner B. Oak 12 ft West 20
 No other tree noted
 80.00 Section corner

North Between Sec^s 4 & 5
 10.00 A. Brook 10 lbs S.W.
 40.00 gr. Sec. corner B. Oak 8 ft 8 E10
 do 14 ft 14 N28
 50.00 A. Brook 12 lbs S.W.
 80.00 To Section corner on the North Boundary
 Land very hilly, Oak & Hickory, March 18, 1814
 North Between Sec^s 31 & 32
 26.15 Sugar 10 in. diam.
 40.00 gr. Sec. corner Sugar 10 ft 15 E8
 Beech 20 ft 70 N11
 69.35 A. Poplar 36 in. diam.
 80.00 Set post corner to Sec^s 29, 30, 31, 32
 Beech 10 ft 20 N15
 Poplar 12 ft 62 N22
 Land rolling, Beech, Sugar &
 East Between Sec^s 29 & 32 On Prandone
 40.00 Temporary gr. Sec. post
 50.50 A. Brook 10 lbs South
 79.92 Intersected N.E. line, 18 lbs South of corner
 Land the same
 West Corrected
 39.76 gr. Sec. corner Beech 7 ft 50 N35
 do 6 ft 12 N2
 79.92 Section corner
 North Between Sec^s 29 & 30
 38.75 A. Gum 20 in. diam.
 40.00 gr. Sec. corner Beech 30 ft 40 E15
 do 10 ft 22 N16
 80.00 Set post corner of Sec^s 19, 20, 29, 30
 Beech 10 ft 70 E5
 Beech 18 West 21
 Land level, Beech, Poplar, Oak &

East Between Sec^s 20 & 29 On Prandone
 40.00 Temporary gr. Sec. post
 80.00 Intersected N.E. line, 18 lbs South of corner
 Land the same but more hilly
 West Corrected
 40.00 gr. Sec. corner Beech 12 ft 18 N22
 Sugar 6 ft 44 E22
 80.00 Section corner
 North Between Sec^s 19 & 20
 40.00 gr. Sec. corner B. Oak 15 ft 51 E30
 do 20 ft 51 N20
 80.00 Set post corner of Sec^s 17, 18, 19, 20
 B. Oak 18 East 10
 do 6 ft 36 N21
 Land hilly & very high hills, thin soil, Oak & Hickory
 East Between Sec^s 17 & 20 On Prandone
 32.00 A. Brook 10 lbs North
 40.00 Temporary gr. Sec. post
 80.08 Intersected N.E. line, 12 lbs South of corner
 Land the same
 West Corrected
 40.04 gr. Sec. corner B. Oak 10 ft 71 N13
 do 14 ft 62 E7
 80.08 Section corner
 North Between Sec^s 17 & 18
 5.50 A. Brook 12 lbs N.E.
 40.00 gr. Sec. corner B. Oak 10 ft 1 N52
 do 6 ft 40 E23
 64.00 A. Brook 12 lbs N.E.
 80.00 Set post corner of Sec^s 7, 8, 17, 18
 B. Oak 20 ft 52 N7
 Poplar 20 ft 25 E29
 Land rolling, Beech, Oak &

East Between Sec. 5 & 17 On Random
 12.00 A. Brook 12 lbs North
 40.00 Temporary gr. Sec. post
 74.00 A. Brook 10 lbs N. E.
 80.00 Intersected N.W. line 12 lbs South of corner
 Land Rolling, Acacia, Oak &c.
 West Corner tree
 40.00 gr. Sec. corner W. Oak 30 S 76 E 27
 do 20 S 45 E 31
 80.00 Section corner
 North Between Sec. 4 & 8
 13.25 A. W. Oak 20 in. diam.
 34.00 A. Brook 10 lbs N. E.
 40.00 gr. Sec. corner Beech 20 S 50 E 10
 do 10 S 5 E 30
 47.25 A. W. Oak 20 in. diam.
 80.00 Set post corner of Sec. 5, 6, 7, 8
 Beech 10 S 3 N 37
 do 8 S 40 N 70
 Land the same
 East Between Sec. 5 & 8 On Random
 38.00 A. Brook 100 lbs N. W.
 40.00 Temporary gr. Sec. post
 79.80 Intersected S.E. line 10 lbs South of corner
 Land level, Beech, Poplar, Ash &c.
 West Corner tree
 39.90 gr. Sec. corner Beech 24 East 210
 79.80 Section corner
 North Between Sec. 5 & 6
 6.00 A. Brook 10 lbs N. E.
 13.30 A. W. Oak 10 in. diam.
 20.00 A. Brook 10 lbs N. E.
 25.50 A. Brook 10 lbs N. W.
 40.00 gr. Sec. corner Maple 12 S 80 W 78
 do 25 E 10

51.00 A. Brook 100 lbs N. E.
 54.75 A. Sugar 10 in. diam.
 50.00 A. Brook 100 lbs S. W.
 53.40 Set post on North Boundary 150 lbs E of corner
 Gum 18 S 45 W 8
 Maple 12 S 72 E 45
 Land flat & West (March 19th 1814)
 West Between Sec. 4 & 8
 3.00 A. Brook 10 lbs N. E.
 13.50 A. W. Oak 10 in. diam.
 30.50 A. Brook 10 lbs N. E.
 40.00 gr. Sec. corner B. Oak 12 S 37 E 25
 Ash 6 S 18 W 23
 73.90 Set post on West Boundary 139 lbs N. of corner
 B. Oak 8 S 12 W 10
 do 7 S 44 W 11
 Very hilly brushy land
 West Between 4 & 8
 40.00 gr. Sec. corner W. Oak 20 Corner tree
 74.12 Set post on N. Boundary 53 lbs N. of corner
 B. Oak 20 S 50 E 10
 do 10 S 51 W 9
 Land hilly & brushy
 West Between Sec. 4, 18 & 19
 8.00 A. Brook 10 lbs N. E.
 40.00 gr. Sec. corner Hickory 6 S 5 W 4
 do 4 S 18 W 12
 74.25 Set post on N. Boundary 40 lbs N. of corner
 Sassafras 10 S 52 W 21
 B. Oak 8 S 4 E 25
 Land very hilly, thin soil, Oak & Hickory
 West Between Sec. 19 & 30
 13.75 W. Oak 18 in. diam.
 40.00 gr. Sec. corner B. Oak 20 S 70 E 22
 Beech 10 S 36 E 9

72.50 A. Beech 10 inches diam. corner tree
 On the West Boundary 52 lbs N. of Sec. corner
 Land Rich & Rolling, Timber, Beech, Oak,
 Poplar, Sugar &c.
 West Between Sec. 4, 30 & 31
 40.00 gr. Sec. corner Beech 6 S 88 W 77
 do 155 E 37
 72.60 Set post on West Boundary 30 lbs North
 of Sec. corner
 B. Oak 12 S 17 W 19
 do 24 S 17 E 21
 Land the same as above
 March 20th 1814
 Surveyed by Arthur Murrie, Esq.